


CK77

CORK PRODUCT

NEW

コルク製品

コルクのクッション性で研磨目の優しい仕上がりを実現



◆用途◆

- ・炭素鋼/アルミ合金等の表面仕上げ
- ・金属メッキ前の研磨目ならし
- ・プレス後の微小バリ取り

- ・ガラス/石材の表面仕上げ
- ・ステンレス/銅板の最終仕上げ
- ・ヘアライン仕上げ



理研コランダム株式会社


CK77

CORK PRODUCT


NEW

◆ワーク：銅板◆

＜面粗度 社内分析＞




＜総研削量 社内分析＞




◆ワーク：ステンレス◆

＜面粗度 社内分析＞



＜総研削量 社内分析＞



※上記データは弊社内での研削試験データになります。

面粗度や総研削量の数値はお客様の製品使用条件により変動しますのでご了承ください。

◆粒度展開◆

タイプ	CK77			
粒度	#240	#320	#400	#600
	●	●	●	●

※最大加工巾: 1410mm

製品詳細につきましては営業担当者へお問い合わせください。



理研コランダム株式会社 <https://www.rikencorundum.co.jp/>

営業部 東京営業所・開発営業課 〒365-0051 埼玉県鴻巣市宮前547-1 TEL 048-507-3277 FAX 048-507-3279
名古屋営業所 TEL 052-930-5663 FAX 052-933-1187 大阪営業所 TEL 06-6191-2300 FAX 06-6191-2302
福岡サテライト TEL 092-557-9900 FAX 092-557-9901

※2021/1/14 編集




CK77

CORK PRODUCT

NEW

Actualization for finer polishing face with cushioning cork



◆ USAGE ◆

- For polishing surface of carbon steel/ aluminum alloy.
- For hairline
- For smooth with surface before metal plating.
- For polishing surface of glass/ stone.
- For finish polishing stainless steel/ copper plate.
- For micro deburring after pressing.



RIKEN CORUNDUM Co., LTD.


CK77

CORK PRODUCT


NEW

◆Copper plate◆

<Analysis: Ra data>




<Analysis: all amount of grinding data>




◆Stainless steel◆

<Analysis: Ra data>



<Analysis: all amount of grinding data>



※ These above data is grinding test at our company only.
There are possibility that these data that Ra and all amount of grinding will be changed by the usage condition for customer. Please kindly note it.

◆The list of grit◆

TYPE	CK77			
GRIT	#240	#320	#400	#600
	●	●	●	●

※Maximum processing width:1410mm

Please feel free to ask sales representative about a detail.



RIKEN CORUNDUM CO., LTD.

<https://www.rikenorundum.co.jp/>

547-1, MIYAMAE, KOUNOSU CITY, SAITAMA 365-0051 JAPAN
TEL 81-48-507-3277 FAX 81-48-507-3279

※Last updated: 2021/1/29

